

## EAST Search History

S8	1	S6 and (stor\$3 with (distinguish or seperat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 17:03
S9	0	S6 and (business with software with interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 17:04
S10	12	S6 and (software with interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 17:16
S11	1	S2 and (contact\$3 near record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 17:17
S12	2	S2 and (customer near record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 17:18
S13	11	S2 and (shar\$3 near record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 17:23
S14	10	S13 and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 17:24
S15	34	S1 and (shar\$3 near record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 17:23

## EAST Search History

S16	0	(access\$5 with (right or control\$4) with distribut\$3) and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 17:23
S17	16	(access\$5 with (right or control\$4) ) and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:00
S18	7	S17 and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:02
S19	1285	(access\$5 with (right or control\$4) ) and (shar\$3 near (record or model or templat\$3 or software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:01
S20	121	(access\$5 with (right or control\$4) ).ab. and (shar\$3 near (record or model or templat\$3 or software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:30
S21	12	S20 and (role with access\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:31
S22	8	S21 and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:31
S23	4	(constituent with record\$3) and (shar\$3 near record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:27

## EAST Search History

S24	1056	(access\$5 with (right or control\$4).ab. and (shar\$3 with(record or model or templat\$3 or software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:43
S25	1056	(access\$5 with (right or control\$4).ab. and (shar\$3 with (record or model or templat\$3 or software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:30
S26	67	S25 and (role with access\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:31
S27	42	S26 and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:43
S28	0	S7 and (role with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:32
S29	2	"781600".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 21:24
S30	68	S2 and (shar\$3 with(record or model or templat\$3 or software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:44
S31	43	S30 and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:44

## EAST Search History

S32	26	S2 and (access\$4 with shar\$3 with (record or model or templat\$3 or software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:44
S33	16	S32 and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:49
S34	0	S32 and @ad<"20030312" and (reduct\$3 near entry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:08
S35	0	S31 and ((customer or contact\$3) near (record\$3 or database or table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 18:50
S36	8	S31 and ((customer or contact\$3) with (record\$3 or database or table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:07
S37	2	S31 and (business with model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:08
S38	335	(shar\$3 with business with model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:16
S39	0	S38 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:08

## EAST Search History

S40	70	(access\$5 with (right or control\$4) with distribut\$3) and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:16
S41	0	S40 and @ad<"20030312" and (reduct\$3 near entry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:09
S42	54	S40 and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:31
S43	0	S42 and (record\$3 near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:09
S44	0	S42 and (record\$3 near shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:09
S45	44	(shar\$3 with business with (model or templat\$3 or form or record)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:18
S46	0	(access\$5 with (right or control\$4) with distribut\$3) and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:17
S47	2	(access\$5 with (right or control\$4) ) and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:18

## EAST Search History

S48	9881	(shar\$3 with (model or templat\$3 or form or record)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:32
S49	325	(access\$5 with (right or control\$4) ) and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:19
S50	96	(access\$5 with (right or control\$4) ).ab. and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:23
S51	0	S50 and (customer with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:20
S52	0	S50 and (customer with organization)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:20
S53	3	S50 and ( organization)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:21
S54	0	S50 and ( customer with credit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:21
S55	0	S50 and ( customer with login)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:21

## EAST Search History

S56	0	S50 and ( login)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:21
S57	2	S50 and ( password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:22
S58	0	S50 and (user with role)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:22
S59	6	(access\$5 with (right or control\$4) with distribut\$3).ab. and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:26
S60	59	(access\$5 with (manag\$5)).ab. and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:33
S61	5	(manag\$4 with access\$4 with user). ab. and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:27
S62	3	S61 and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:40
S63	81632	(shar\$3 with (model or templat\$3 or form or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:32

## EAST Search History

S64	132	(access\$5 with (manag\$5) with shar\$3).ab. and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:33
S65	2	(access\$5 with (manag\$5) with shar\$3 with model).ab. and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:33
S66	5	(access\$5 with (manag\$5) with business).ab. and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:37
S67	5	(access\$5 with (manag\$5) with business).ab. and (contact\$3 with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:38
S68	6	(access\$5 with (manag\$5) with business).ab. and (customer with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:50
S69	365	(access\$5 with (manag\$5) with business).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:39
S70	2	S69 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:39
S71	22	(access\$5 with (manag\$5) with business).ab. and (user with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:39



## EAST Search History

S72	17	S71 and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:51
S73	7	S71 and @ad<"20030312" and (access\$5 with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:40
S74	0	S69 and (role with record) and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:48
S75	0	(access\$5 with (right or control\$3) with (manag\$5) with business).ab. and (customer with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:51
S76	54	(access\$5 with (right or control\$3) with (manag\$5) with business).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:51
S77	5790	(access\$5 with (right or control\$3) with (manag\$5) ).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:51
S78	16	S77 and (customer with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:51
S79	11	S78 and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:52

## EAST Search History

S80	21	S77 and (shar\$3 with record) and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:55
S81	15	S77 and (shar\$3 with model) and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:56
S82	7	S77 and (login with record) and @ad<"20030312"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 19:56
S83	2	("6026397").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 21:25
S84	2	("6421467").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 21:25
S85	2	"875271".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/06 21:26